GOVERNMENT OF AHDHRA PRADESH

ABSTRACT

PUBLIC SERVICES - **Sri.M.Chandrudu, the then AE**, KCC Sub Division, Nandyal – Water Resources Department- ""**Desilting and Jungle clearance of Kundu River,** various works towards desilting and jungle clearance of large mound Kundu River left side near Pusuluru pump house up stream from Km. 0.000 to Km. 0.500, desilting and jungle clearance of large mound Kundu River Right side near Pusuluru pump house down stream from Km. 1.250 to 1.600 Km and 2.000 to 2.400 km, desilting and jungle clearance of large mound Kundu River Right side near Pusuluru pump house up stream from Km. 0.000 to Km. 0.500, desilting and jungle clearance of Right side edge Kundu River Right side near Pusuluru pump house up stream from Km. 0.600 to Km. 1.000, desilting and jungle clearance of Right side edge Kundu River Right side near Pusuluru pump house down stream from Km. 1.000 to Km. 1.400, Km 1.500 to 1.700 and 1.900 to 2.700 Km, desilting and jungle clearance of Left side edge Kundu River Left side near Pusuluru pump house down stream from Km. 1.200 to Km. 1.700, 2.300 to 2.400 Km **(And)** 2.600 to 2.730 Km, desilting and jungle clearance of Left side edge Kundu River Right side near Pusuluru pump house down stream from Km. 1.700 to Km. 2,300 and 2.400 to 2.600 km, desilting of mid portion of Kundu River near Pusuluru pump house down stream side near Pusuluru (V) Km 0.750, 0.990, 1.140, 1.870, 1.940,2.450, 2.550,2.620,2.750 and 2.820, desilting of Left side edge Kundu River Left side near BramhanaPalli road Bridge Up stream side Bramhanapalli (V) from Km. 2.400 to Km. 2.950, desilting of Right side edge Kundu River Left side near BramhanaPalli road Bridge Up stream side Bramhanapalli (V) from Km. 2.600 to Km. 2.700, desilting of mid portion of Kundu River near Bramhanapalli Road bridge Up stream side near bramhanaPalli (V) 2.870 Km& 2.940, and desilting of mid portion of Kundu River near Bramhanapalli (V) 2.170 Km& 2.340Nandyal Mandal, Kurnool D**istrict**"**(Work No.1 to 52)(Annexure-560)** taken up under Neeru-Chettu programme - Departmental Proceedings under Rule 20 of the A.P. Civil Services (CC & A) Rules, 1991 - Articles of Charges - Issued.

WATER RESOURCES (Vig.II.(V&E)) DEPARTMENT

G.O.Rt.No.897 Dated: 05.05.2022

>><<

O R D E R:

It is proposed to hold an inquiry against **Sri.M.Chandrudu, the then AE**, KCC Sub Division, Nandyal in accordance with the procedure laid down under Rule 20 of the A.P Civil Services (CC&A) Rules, 1991 for the alleged charges specified herein.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehavior in support of articles of charges is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure-III & IV).

3. **Sri.M.Chandrudu, the then AE**, KCC Sub Division, Nandyal is directed to submit his written statement of defence within (10) days from the receipt of this order and also state whether he desires to be heard in person.

4. **Sri.M.Chandrudu, the then AE**, KCC Sub Division, Nandyal is informed that an inquiry will be held only in respect of those article of charge which are not specifically admitted herein. He should, therefore, specifically admit or deny each article of charge. He is further informed that adequate opportunity for perusal of records will be made available during the course of inquiry.

5. **Sri.M.Chandrudu, the then AE**, KCC Sub Division, Nandyal is further informed that if he does not submit his written statement of defence on or before the stipulated time, or does not appear in person before the disciplinary authority or otherwise fails or refuses to comply with the provisions of rule 20 of the APCS (CC&A) Rules 1991, or the orders/directions issued in pursuance of said Rules, the inquiring authority may hold inquiry against him ex-parte.

6. Attention of **Sri.M.Chandrudu, the then AE**, KCC Sub Division, Nandyal is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Govt. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that **Sri.M.Chandrudu, the then AE**, KCC Sub Division, Nandyal is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this order should be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri.M.Chandrudu, the then AE, KCC Sub Division, Nandyal **through** the Engineer-in-Chief (AW), Water Resource Department, Vijayawada.
Copy to:
The Engineer-in-Chief (AW), Water Resources Department, Vijayawada with a request to submit the dated acknowledgement of the individual to the Government without any delay.

// FORWARDED : BY ORDER //

SECTION OFFICER